



ORRIS K.S INDUSTRIES LTD
3 Eliyahu Eitan st. Rishon LeZion, 7570305
+972-3-9613322 | +972-3-9429700
sales@orris.co.il
www.orris.co.il

EW600D-ST

EW600D-ST

Model	MKG-600
Power supply	230V/1Ph/50Hz

Air Volume

High	CFM	600
Med	CFM	510
Low	CFM	450

Cooling Capacity

High	kW	4.45
Med	kW	4.18
Low	kW	3.74

Heating Capacity

High	kW	6.30
Med	kW	5.67
Low	kW	4.73

General

Power Input	W	60
Noise Level	dbA	40/34/29
Water Flow	L/min	12.75
Water Pressure Drop	kPa	29.0
Dimensions WxHxD	mm	1070x210x316
Weight	kg	15.00

Blower (Fan)

Motor Type	4 speed fan motor
QTY.	1
Fan Type	Cross flow fan
QTY.	1

Coil

Diameter	mm	Φ7
Row	QTY	2
Fin type		Hydrophilic Aluminum
Max working pressure	mm	1.6

Pipe Connection

Water inlet pipe	In	3/4"
Water outlet pipe	In	3/4"
Drain pipe	mm	Φ20

Noise Level:

Sound pressure level values are measured in a semi-anechoic room, at a position 1 meter in front of the unit and (1 meter + Height of the unit) / 2 above the floor

Conditions:

Cooling capacity INLET water 7°C / Temp rise 5°C / Entering air Temp 27°CDB / 19°CWB

Heating capacity INLET water 50°C / Entering air Temp 20°CDB

